


JMG





MC 80.06

Cod.: 090-TAR-04010


1:65

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]



**Z1 Z2
Z3**





	(t)						
		2950	3286	3790	4630	5470	6310
	0	12	12	12	12	10,7	9,7
	0,21	12	12	12	11,7	10	9
	0,5		12	12	10,7	9,2	8,2
	0,55		12	12	10,6	9	8,1
	1			10,7	9,5	8	7
	1,05			10,2	9,3	7,9	6,9
	1,5				7,7	7	6,2
	1,89				6,3	6,3	5,6
	2					6	5,5
	2,5					4,8	4,8
	2,73					4,4	4,4
	3						4,1
	3,5						3,4
	3,57						3,4

MC80.06


090-DIA-04031


Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagram (t) - Diagrama de las cargas (t)

JMG[®]



Z1 Z2
Z3




	(t)						
		2950	3286	3790	4630	5470	6310
	0	12	12	12	12	10,7	9,7
	0,21	12	12	12	11,7	10	9
	0,5		12	12	10,7	9,2	8,2
	0,55		12	12	10,6	9	8,1
	1			12	9,5	8	7
	1,05			12	9,3	7,9	6,9
	1,5				8,5	7	6,2
	1,89				8,1	6,5	5,6
	2					6,3	5,5
	2,5					5,8	5
	2,73					5,6	4,7
	3						4,5
	3,5						4,1
	3,57						4,1

MC80.06

090-DIA-04032

JMG





MC 80.06


Cod.: 090-TAR-04012 Δ 1:65


Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagram (t) - Diagrama de las cargas (t)

JMG[®]



**Z1 Z2
Z3**





	(t)	2950	3286	3790	4630	5470	6310
	0	10	10	10	10	9,4	8,6
	0,46	10	10	10	9,5	8,3	7,4
	0,5		10	10	9,4	8,2	7,4
	0,8		10	10	8,8	7,6	6,8
	1			10	8,4	7,2	6,4
	1,3			8,7	7,9	6,7	6
	1,5				7,6	6,5	5,7
	2				6	5,9	5,1
	2,14				5,7	5,7	5
	2,5					4,9	4,7
	2,98					4,1	4,1
	3						4,1
	3,5						3,5
	3,82						3,2

MC80.06


090-DIA-04047

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagram (t) - Diagrama de las cargas (t)


JMG[®]



Z1 Z2
Z3




	(t)	2950	3286	3790	4630	5470	6310
	0	10	10	10	10	9,4	8,6
	0,46	10	10	10	9,5	8,3	7,4
	0,5		10	10	9,4	8,2	7,4
	0,8		10	10	8,8	7,6	6,8
	1			10	8,4	7,2	6,4
	1,3			10	7,9	6,7	6
	1,5				7,6	6,5	5,7
	2				7,1	5,9	5,1
	2,14				7,2	5,7	5
	2,5					5,4	4,7
	2,98					5,2	4,3
	3						4,3
	3,5						4
	3,82						3,9



MC80.06

090-DIA-04048



JMG




MC 80.06

Cod.: 090-TAR-04014 Δ 1:65


Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)



Z1 Z2
Z3





	(t)	2950	3286	3790	4630	5470	6310
	0	10					
	0,5	10	10				
	0,57	10	10				
	0,91		10	10			
	1			10			
	1,41			8,2			
	1,5				7,5		
	2				6		
	2,25				5,4	5,4	
	2,5					4,9	
	3					4,1	4,1
	3,09					4	4
	3,5						3,5
	3,93						3,1




MC80.06


090-DIA-04063

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)



Z1 Z2
Z3




	(t)						
		2950	3286	3790	4630	5470	6310
	0	10					
	0,5	10	10				
	0,57	10	10				
	0,91		10	10			
	1			10			
	1,41			10			
	1,5				7,5		
	2				7		
	2,25				6,9	5,5	
	2,5					5,3	
	3					5	4,2
	3,09					5	4,2
	3,5						3,9
	3,93						3,8

MC80.06

090-DIA-04064

JMG




MC 80.06


Cod.: 090-TAR-04018 Δ 1:65

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)


JMG[®]



Z1 Z2
Z3



	(t)	2950	3286	3790	4630	5470	6310
	0	6	6				
	0,5	6	6	6			
	1	6	6	6	6		
	1,21	6	6	6	6	5,4	
	1,5		6	6	5,8	5,1	
	1,55		6	6	5,8	5,1	
	2			5,9	5,4	4,7	4,2
	2,05			5,8	5,3	4,6	4,2
	2,5				4,7	4,3	3,8
	2,89				4,2	4	3,6
	3					3,9	3,5
	3,5					3,4	3,3
	3,73					3,2	3,1
	4						2,9
	4,5						2,6
	4,57						2,5







MC80.06

090-DIA-04089

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]




	(t)	2950	3286	3790	4630	5470	6310
	0	6	6				
	0,5	6	6	6			
	1	6	6	6	6		
	1,21	6	6	6	6	5,4	
	1,5		6	6	5,8	5,1	
	1,55		6	6	5,8	5,1	
	2			6	5,4	4,7	4,2
	2,05			6	5,3	4,6	4,2
	2,5				5	4,3	3,8
	2,89				5	4,1	3,6
	3					4	3,5
	3,5					3,8	3,3
	3,73					3,8	3,2
	4						3,1
	4,5						2,9
	4,57						2,9

MC80.06

090-DIA-04090

JMG




MC 80.06



Cod.: 090-TAR-04022 Δ 1:65

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]



**Z1 Z2
Z3**







	(t)	2950	3286	3790	4630	5470	6310
	0	4,5	4,5				
	0,5	4,5	4,5	4,5			
	1	4,5	4,5	4,5	4,5		
	1,5	4,5	4,5	4,5	4,5	4,5	
	2	4,5	4,5	4,5	4,5	4,3	3,9
	2,5		4,5	4,5	4,5	4,2	3,8
	2,53		4,5	4,5	4,5	4	3,7
	2,87			4,5	4,4	3,9	3,5
	3			4,5	4,2	3,7	3,4
	3,37				3,9	3,6	3,2
	3,5				3,5	3,3	3
	4				3,4	3,2	3
	4,21					2,9	2,8
	4,5					2,7	2,6
	5						2,5
	5,05						2,3
	5,5						2,2

MC80.06

090-DIA-04121

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]




	(t)	2950	3286	3790	4630	5470	6310
0	4,5	4,5					
0,5	4,5	4,5	4,5				
1	4,5	4,5	4,5	4,5			
1,5	4,5	4,5	4,5	4,5	4,5		
2	4,5	4,5	4,5	4,5	4,5	4,3	3,9
2,5		4,5	4,5	4,5	4,5	4,2	3,8
2,53		4,5	4,5	4,5	4,5	4	3,7
2,87				4,5	4,4	3,9	3,5
3				4,5	4,2	3,7	3,4
3,37					4,1	3,6	3,2
3,5					4	3,4	3
4					4	3,4	3
4,21						3,2	2,8
4,5						3,2	2,7
5							2,7
5,05							2,5
5,5							2,5

MC80.06

090-DIA-04122

JMG




MC 80.06


Cod.: 090-TAR-04020 Δ 1:65

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)


JMG[®]



**Z1 Z2
Z3**



	(t)	2950	3286	3790	4630	5470	6310
	0						
	0,5	2,6	2,6				
	1	2,6	2,6	2,6			
	1,5	2,6	2,6	2,6	2,6		
	2	2,6	2,6	2,6	2,6	2,6	
	2,5	2,6	2,6	2,6	2,6	2,6	2,6
	2,71	2,6	2,6	2,6	2,6	2,6	2,6
	3		2,6	2,6	2,6	2,6	2,6
	3,05		2,6	2,6	2,6	2,6	2,6
	3,5			2,6	2,6	2,6	2,6
	3,55			2,6	2,6	2,6	2,6
	4				2,6	2,6	2,6
	4,39				2,6	2,6	2,5
	4,5					2,6	2,5
	5					2,4	2,2
	5,23					2,3	2,1
	5,5						2
	6						1,9
	6,07						1,9







MC80.06

090-DIA-04105

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]




	(t)	2950	3286	3790	4630	5470	6310
	0						
	0,5	2,6	2,6				
	1	2,6	2,6	2,6			
	1,5	2,6	2,6	2,6	2,6		
	2	2,6	2,6	2,6	2,6	2,6	
	2,5	2,6	2,6	2,6	2,6	2,6	2,6
	2,71	2,6	2,6	2,6	2,6	2,6	2,6
	3		2,6	2,6	2,6	2,6	2,6
	3,05		2,6	2,6	2,6	2,6	2,6
	3,5			2,6	2,6	2,6	2,6
	3,55			2,6	2,6	2,6	2,6
	4				2,6	2,6	2,6
	4,39				2,6	2,6	2,5
	4,5					2,6	2,5
	5					2,6	2,3
	5,23					2,6	2,3
	5,5						2,2
	6						2,2
	6,07						2,2

MC80.06

090-DIA-04106

JMG





MC 80.06

Cod.: 090-TAR-04015


1:65


Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)

JMG[®]



Z1 Z2
Z3





	(t)	2950	3286	3790	4630	5470	6310
		9	9	8,2	7,2	6,2	
	0,5	9	8,7	7,7	6,7	6,1	5,4
	1	8,5	8,1	7,3	6,1	5,5	5,1
	1,26	7,8	7,1	6,7	5,9	5,2	4,8
	1,5		6,3	5,9	5,6	5	4,5
	1,6		6,2	5,6	5,3	4,9	4,5
	2			4,7	4,4	4,2	4
	2,1			4,6	4,2	4	3,9
	2,5				3,5	3,4	3,3
	2,94				3	2,8	2,7
	3					2,8	2,7
	3,5					2,3	2,2
	3,78					2	2
	4						1,8
	4,5						1,5
	4,62						1,4

MC80.06


090-DIA-04069

Diagramma di portata (t) - Capacity diagram (t)
 Traglastdiagramm (t) - Tableau des charges (t)
 Lastendiagramm (t) - Diagrama de las cargas (t)


JMG[®]



**Z1 Z2
Z3**



	(t)	2950	3286	3790	4630	5470	6310
	0	9	9	8,2	7,2	6,2	
	0,5	9	8,7	7,7	6,7	6,1	5,4
	1	9	8,5	7,3	6,1	5,5	5,1
	1,26	9	8,5	7,1	5,9	5,2	4,8
	1,5		8,3	7	5,7	5	4,5
	1,6		8,2	7	5,6	4,9	4,5
	2			6,3	5,3	4,6	4
	2,1			6,1	5,2	4,5	3,9
	2,5				4,7	4	3,5
	2,94				4	3,6	3,1
	3					3,5	3
	3,5					3,1	2,6
	3,78					2,7	2,4
	4						2,3
	4,5						2
	4,62						1,9



MC80.06

090-DIA-04070